	Application No.	Applicant(s)
Notice of Allowability	09/904,793	OTA ET AL.
	Examiner	Art Unit
	Heather R. Jones	2621
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. X This communication is responsive to the IDS filed along with an RCE on 7/10/2007.		
2. X The allowed claim(s) is/are 3-20 (which have been renumbered as 1-18 respectively).		
 3.		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)). * Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. Notice of Informal P	Patent Application
2. Notice of Neterences Cited (1 10-032) Notice of Praftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary	
	Paper No./Mail Da 7. ⊠ Examiner's Amendr	te
 Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 7/10/2007 	_	
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. ⊠ Examiner's Stateme	ent of Reasons for Allowance
or protogroup Material	9.	
	•	

Application/Control Number: 09/904,793 Page 2

Art Unit: 2621

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Thomas F. Presson on May 11, 2007.

The application has been amended as follows:

Claim 19, lines 1 and 2: change "A disc-like recording medium onto which content data is recorded, comprising:" to --An apparatus for recording/reproducing information to/from a disc-like recording medium, the disc-like recording medium comprising:--.

Claim 20, lines 1 and 2: change "A disc-like recording medium onto which content data is recorded, comprising:" to --An apparatus for recording/reproducing information to/from a disc-like recording medium, the disc-like recording medium comprising:--.

Allowable Subject Matter

- 2. Claims 3-18 are allowed.
- 3. The following is an examiner's statement of reasons for allowance: Prior art fails to teach or fairly suggest a data recording/reproduction apparatus for recording or

Application/Control Number: 09/904,793

Art Unit: 2621

reproducing content data onto a disc-like recording medium, comprising a control means that records the same management information into the first and second management areas, and records information indicating that writing of management information onto the first management area is started and information indicating that writing of management information onto the second area is started, into the procedure storage area.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Heather R. Jones whose telephone number is 571-272-7368. The examiner can normally be reached on Mon. - Thurs.: 7:00 am - 4:30 pm, and every other Fri.: 7:00 am - 3:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John Miller can be reached on 571-272-7353. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR.

Application/Control Number: 09/904,793

Art Unit: 2621

Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Heather R Jones Examiner Art Unit 2621

HRJ August 17, 2007

JOHN MILLER
SUPERVISORY PATENT EXAMINER

TECHNOLOGY CENTER 2600